

complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name: AEROSOL SPRAY ODOR ABSORBER

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Room deodorant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SPRING AIR

Deligiorgi 2 & Ionias

174 56 Alimos, Athens, Greece

Tel: +30 2109734805 Fax:+30 2109945660 e-mail: info@springair.gr website: www.springair.gr

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



GHS02 flame

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS02

Signal word: Danger **Hazard statements:**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

(Contd. on page 2)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 1)

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Additional information:

Contains Lemon oil terpenes, a-iso methyl ionone, 2-(4-tert-Butylbenzyl)propionaldehyde. May produce an allergic reaction.

Classification according to Directive 75/324/EEC (ADD) and its amendments:

The product is classified according to the Directive 75/324/EEC (AAD) and its amendments, because its an aerosol dispenser product.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Room Deodorant

Ingredients:		
CAS: 68512-91-4	Hydrocarbons, C3-4-rich, petroleum distillate	50-100%
EINECS: 270-990-9	♠ Flam. Gas 1, H220; Press. Gas C, H280	
Index number: 649-083-00-0		
Reg.nr.: 01-2119485926-20-XXXX		
CAS: 64-17-5	ethanol	2.5-<10%
EINECS: 200-578-6	♠ Flam. Liq. 2, H225	
Index number: 603-002-00-5	- ·	
CAS: 107-41-5	2-methylpentane-2,4-diol	2.5-<10%
EINECS: 203-489-0	() Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Index number: 603-053-00-3		
CAS: 68917-33-9	Lemon oil terpenes	0.1-<1%
EINECS: 284-515-8	◆ Flam. Liq. 3, H226; ◆ Asp. Tox. 1, H304;	
	Aquatic Chronic 2, H411; Skin Irrit. 2,	
	H315; Skin Sens. 1, H317	

-G



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

	(C	ontd. of page 2)
CAS: 80-54-6	2-(4-tert-Butylbenzyl)propionaldehyde	0.1-<1%
EINECS: 201-289-8	Repr. 2, H361; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
CAS: 127-51-5	a-iso methyl ionone	0.1-<1%
EINECS: 204-846-3	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air. **After inhalation:** Seek medical treatment in case of complaints.

After skin contact:

Wash the skin immediately with soap and water.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, foam, extinguishing powder, water spray

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture

Pressurized container may explode in a fire. Pressurized container may explode if heated, due to excessive pressure build-up.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

GB



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel

Keep away from ignition sources.

Ensure sufficient ventilation.

- **6.1.2 For emergency responders** Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Allow to evaporate.
- **6.4 Reference to other sections:**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care.

Handle with care. Avoid jolting, friction and impact.

Information about fire - and explosion protection:





Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

Flammable gas-air mixtures may form in empty receptacles.

Keep it in a dry, cool, well ventilated, fixed in advance place, away from sources of heat, flames, ignition and direct sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

Information about storage in one common storage facility:

Store away from flammable substances.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

(Contd. on page 5)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 4)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
57-55-6 propane-1,2	-diol	
WEL (Great Britain) Long-term value: 474* 10** mg/m³, 150* ppm		
	*total vapour and particulates **particulates	
64-17-5 ethanol		
WEL (Great Britain)	Long-term value: 1920 mg/m³, 1000 ppm	
107-41-5 2-methylpo	entane-2,4-diol	
WEL (Great Britain)	Short-term value: 123 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm	

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work. **Respiratory protection:** Not required.

Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eve protection: Not required.

Body protection: Not required under normal conditions of use.

GB



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 5)

SECTION 9: Physical and chem	ical properties
9.1 Information on basic physical a	and chemical properties
General Information	
Appearance:	
Form:	Aerosol
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined
pH value:	Not determined
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not applicable
Flash point:	Not applicable
Flammability (solid, gaseous):	Not applicable
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidising properties	Not considered as oxidising.
Vapour pressure:	Not determined
Density:	Not determined
Relative density	Not determined
Vapour density	Not determined
Evaporation rate	Not applicable
Solubility in / Miscibility with	
water:	Partly miscible.
Partition coefficient (n-octanol/wa	ter): Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic:	Not determined
9.2 Other information	No further relevant information available.

- GF



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

To avoid thermal decomposition do not overheat.

Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials Strong oxidising agents
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:			
64-17-5 et	64-17-5 ethanol		
Oral	LD50	7060 mg/kg (rat)	
Inhalative	LC50/4 h (vapours)	20000 mg/l (rat)	
107-41-5	107-41-5 2-methylpentane-2,4-diol		
Oral	LD50	3700 mg/kg (rat)	
Dermal	LD50	8560 mg/kg (rabbit)	

Primary irritant effect:

Skin corrosion/irritation No irritating effect.

Serious eye damage/irritation No irritating effect.

Respiratory or skin sensitisation No sensitising effects known.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 8)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 7)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

ODODION	1		• •	4.0
SECTION	4.	Transnort	intorm	ation
DECTION		TIMINSPOL		

14.1 UN-Number	
ADR, IMDG, IATA	UN1950

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

IATA AEROSOLS, flammable

14.3 Transport hazard class(es)

ADR



Class 2 5F Gases.

Label 2.1

IMDG, IATA



Class 2.1

(Contd. on page 9)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

	(Contd. of pag
Label	2.1
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	-
EMS Number:	F-D,S-U
14.7 Transport in bulk according to	Annex
II of MARPOL73/78 and the IBC Co	ode Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN1950, AEROSOLS, 2.1

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

The product is classified according to the Directive 75/324/EEC (AAD) and its amendments, because its an aerosol dispenser product.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 10)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 9)

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing MSDS:



SUSTCHEM Engineering Ltd

REACH & Chemical Services Department

144, 3rd Septemyriou, GR 112 51, Athens, Greece

Tel.: +30 210 8252510 Fax: +30 210 8252575

E-mail: info@suschem.gr Website: www.sustchem.gr

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)



complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 02.10.2015 Version number 1 Revision: 02.10.2015

Trade name: AEROSOL SPRAY ODOR ABSORBER

(Contd. of page 10)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Gas 1: Flammable gases, Hazard Category 1 Flam. Aerosol 1: Flammable aerosols, Hazard Category 1

Press. Gas C: Gases under pressure: Compressed gas

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 2: Reproductive toxicity, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

CD